Version 1.1

Revision Date 10/01/2023

Print Date 08/06/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ODORSTROYER_4L_4CT

Material number : 177754C

Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada		
Telephone	:	Compliance Services - 877-428-9937		

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded.

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	green
Odour	characteristic
GHS Classification	
Eye irritation Skin sensitisation	: Category 2A : Category 1
GHS label elements	
Hazard pictograms	: Exclamation mark
Signal word	: Warning
Hazard statements	: H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Version	1 1	
version	1.1	

Revision Date 10/01/2023 Print Date 08/06/2024

	Precautionary statements	 Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/container in accordance with local regulation.
--	--------------------------	--

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
propan-2-ol	67-63-0	>= 1 - < 5
Alcohols, C12-15, ethoxylated	68131-39-5	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5
alpha-hexylcinnamaldehyde	101-86-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 If on clothes, remove clothes. If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before re-use.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.

Version 1.1	Revision Date 10/01/2023	Print Date 08/06/2024
	If eye irritation persists, consult a sp In case of contact, immediately flush for at least 15 minutes.	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dire physician or poison control center. Take victim immediately to hospital.	n. ected to do so by a
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed. Symptoms may include irritation, red May cause an allergic skin reaction. Causes serious eye irritation. Review section 2 of SDS to see all	
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains.

Version 1.1		Revision Date 10/01/2023	Print Date 08/06/2024
		Prevent further leakage or spillage if safe	e to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e. acid binder, universal binder, sawdust). Keep in suitable, closed containers for d	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm 492 mg/m3	CA AB OEL
		STEL	400 ppm 984 mg/m3	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	400 ppm 983 mg/m3	CA QC OEL
		STEV	500 ppm 1,230 mg/m3	CA QC OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
propane-1,2-diol	57-55-6	TWA	50 ppm	CA ON OEL
		(Vapour and aerosols)	155 mg/m3	
		TWA	10 mg/m3	CA ON OEL

Components with workplace control parameters

sion 1.1	Re	vision Date 1	0/01/2023		Print Date 08/	/06/2024
		(a	erosol)			
Biological occupational	exposure li	mits				
Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGI⊦ BEI
Engineering measures	: effe	ctive ventilatio	on in all proc	essing area	as	
Personal protective equ	lipment					
Respiratory protection	: Use ven	tilation is prov	ided or expo	osure asses	ate local exhau ssment demons exposure guid	strates
Hand protection Remarks		e suitability for h the producer			nould be discus s.	ssed
Eye protection	the	sure that eyew workstation lo ety glasses		and safety	showers are o	close to
Skin and body protection	Cho		tection acc		the amount an tance at the v	
Hygiene measures		en using do n en using do n		ık.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: green
Odour	: characteristic
Odour Threshold	: No data available
рН	: 7.5 - 8.2
Melting point/freezing point	: No data available
Boiling point	: < 37.7 °C
Flash point	:
	does not flash
Evaporation rate	: No data available
Upper explosion limit	: No data available

Version 1.1	Revision Date 10/01/2023	Print Date 08/06/2024
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1 g/cm3	
Solubility(ies)		
Water solubility	: completely soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Strong acids Bases
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. May cause an allergic skin reaction. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

Version 1.1	Revision Date 10/01/2023	Print Date 08/06/2024
Carcinogenicity: IARC	No component of this product preser equal to 0.1% is identified as probab	
	human carcinogen by IARC.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 r Method: Calculation method	ng/kg
Components:		
propan-2-ol:		
Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method	
Alcohols, C12-15, ethox	-	
Acute oral toxicity	: LD50 Oral Rat: 500 - 5,000 mg/kg]
Skin corrosion/irritation		
Product:		
Remarks: May cause skir	irritation and/or dermatitis.	
Serious eye damage/eye irri	tation	
Product:		
Remarks: Severe eye irrit	ation	
Respiratory or skin sensitisa	tion	
Product:		
Remarks: Causes sensitis	sation.	
<u>Components:</u>		
alpha-hexylcinnamaldel Classification: May cause	hyde: sensitisation by skin contact.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		

Version 1.1

Print Date 08/06/2024

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water Components:	: Remarks: No data available
propan-2-ol :	
Partition coefficient: n- octanol/water	: log Pow: 0.05
propane-1,2-diol :	
Partition coefficient: n- octanol/water	: log Pow: -1.07
alpha-hexylcinnamaldehyde	:
Partition coefficient: n- octanol/water	: log Pow: 4.686
Mobility in soil	

No data available

Other adverse effects

No data available Product:	
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with

Version 1.1	Revision Date 10/01/2023	Print Date 08/06/2024
	chemical or used container.	
	Dispose of in accordance with loca	al regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

Version 1.1

Revision Date 10/01/2023

Print Date 08/06/2024

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)





Version:	1.1
Revision Date:	10/01/2023
Print Date:	08/06/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.