Version 2.1

Revision Date 10/01/2023

Print Date 08/06/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ORANGEL CITRUS SOLVENT GEL_500ML_12CT

Material number : 981701C

| Manufacturer or supplier's details | | | |
|------------------------------------|---|---|--|
| Company | : | Zep Inc. | |
| Address | : | 11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada | |
| Telephone | : | Compliance Services - 877-428-9937 | |

| Emergency telephone nu | mbe | rs |
|-----------------------------------|-----|--|
| For SDS Information | : | Compliance Services - 877-428-9937 |
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation Emergency | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | viscous, gel |
|------------|---------------|
| Colour | amber, yellow |
| Odour | like fruit |

GHS Classification

| Flammable liquids Skin irritation Serious eye damage Skin sensitisation | Category 3 Category 2 Category 1 Sub-category 1B |
|--|---|
| GHS label elements | |
| Hazard pictograms | : Flame Corrosion Exclamation mark |
| Signal word | : Danger |

| Version 2.1 | Revision Date 10/01/2023 | Print Date 08/06/2024 |
|--------------------------|---|---|
| | | |
| Hazard statements | H226 Flammable liquid and vapour H315 Causes skin irritation. H317 May cause an allergic skin m H318 Causes serious eye damage | eaction. |
| Precautionary statements | Prevention: P210 Keep away from heat, hot su and other ignition sources. No smo P233 Keep container tightly closed P240 Ground and bond container P241 Use explosion-proof electrica equipment. P242 Use non-sparking tools. P243 Take action to prevent static P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after h P272 Contaminated work clothing the workplace. P280 Wear protective gloves/ prote protection/ face protection. Response: P303 + P361 + P353 IF ON SKIN immediately all contaminated cloth P305 + P351 + P338 + P310 IF IN water for several minutes. Remove and easy to do. Continue rinsing. If CENTER/doctor. P333 + P313 If skin irritation or ras advice/ attention. P362 + P364 Take off contaminated reuse. P370 + P378 In case of fire: Use of alcohol-resistant foam to extinguis Storage: P403 + P235 Store in a well-ventila Disposal: P501 Dispose of contents/contained regulation. | oking. d. and receiving equipment. al/ ventilating/ lighting c discharges. gas/ mist/ vapours/ spray. handling. should not be allowed out of ective clothing/ eye (or hair): Take off hing. Rinse skin with water. EYES: Rinse cautiously with e contact lenses, if present Immediately call a POISON sh occurs: Get medical ed clothing and wash it before dry sand, dry chemical or h. ated place. Keep cool. |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|---|------------|-------------------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | >= 30 - < 60 |
| d-limonene | 5989-27-5 | >= 30 - < 60 |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | >= 1 - < 5 |
| Alcohols, C12-16, ethoxylated | 68551-12-2 | >= 1 - < 5 |
| propylene carbonate | 108-32-7 | >= 1 - < 5 |

Version 2.1

Revision Date 10/01/2023 Print Date 08/06/2024

| General advice | C S | Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|---|-----------------------------|--|
| If inhaled | a | f unconscious, place in recovery position and seek medical advice. f symptoms persist, call a physician. |
| In case of skin contact | V n | f skin irritation persists, call a physician. Vash off immediately with plenty of water for at least 15 ninutes. f on clothes, remove clothes. |
| In case of eye contact | ti R C R R K | Small amounts splashed into eyes can cause irreversible issue damage and blindness. Rinse immediately with plenty of water for at least 15 minutes. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. f eye irritation persists, consult a specialist. |
| If swallowed | N C If | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. f symptoms persist, call a physician. Fake victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | S E C C N | Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards. |
| Notes to physician | : Т | Freat symptomatically. Symptoms may be delayed. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
|--------------------------------------|---|
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |

| Version 2.1 | Revision Date 10/01/2023 | Print Date 08/06/2024 |
|--|---|--|
| | | |
| Hazardous combustion products | : Carbon dioxide (CO2) Carbon monoxide Smoke | |
| Specific extinguishing methods | Nitrogen oxides (NOx) : Use extinguishing measures that a circumstances and the surrounding | |
| Further information | : Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fit be disposed of in accordance with For safety reasons in case of fire, separately in closed containments Use a water spray to cool fully clo | s. re extinguishing water must local regulations. cans should be stored |
| Special protective equipment for firefighters | : Wear self-contained breathing app necessary. | paratus for firefighting if |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|--|
| Environmental precautions | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. |
|-------------------------|--|
| | Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not |

| Version 2.1 | Revision Date 10/01/2023 | Print Date 08/06/2024 |
|-----------------------------|---|---------------------------|
| | be employed in any process in whi used. | ich this mixture is being |
| Conditions for safe storage | No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. | |
| Materials to avoid | : No materials to be especially ment | ioned. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--|------------|-------------------------------------|---|-----------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | TWA | 200 mg/m3 (As total hydrocarbon vapour) | CA BC OEL |
| | | TWA | 200 mg/m3 (total hydrocarbon vapor) | CA AB OEL |

| Engineering n | neasures |
|---------------|----------|
|---------------|----------|

es : effective ventilation in all processing areas

| Personal protective equipment | | | |
|-------------------------------|---|---|--|
| Respiratory protection | : | In case of insufficient ventilation, wear suitable respiratory equipment. | |
| Hand protection Material | : | Protective gloves | |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. | |
| Eye protection | : | Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. | |
| Skin and body protection | : | Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. | |
| Hygiene measures | : | When using do not eat or drink. When using do not smoke. | |

Version 2.1

Revision Date 10/01/2023 Print Date 08/06/2024

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Colour: amber, yellowOdour: like fruitOdour Threshold: No data availablepH: No data availableMelting point/freezing point: No data availableBoiling point: 174 °CFlash point: 54 °C Method: TCCEvaporation rate: No data availableUpper explosion limit: No data available |
|---|
| Odour Threshold:No data availablepH:No data availableMelting point/freezing point:No data availableBoiling point:174 °CFlash point:54 °C Method: TCCEvaporation rate:No data availableUpper explosion limit:No data available |
| pH:No data availableMelting point/freezing point:No data availableBoiling point:174 °CFlash point:54 °C Method: TCCEvaporation rate:No data availableUpper explosion limit:No data available |
| Melting point/freezing point : No data available Boiling point : 174 °C Flash point : 54 °C Method: TCC Evaporation rate : No data available Upper explosion limit : No data available |
| Boiling point:174 °CFlash point:54 °C Method: TCCEvaporation rate:No data availableUpper explosion limit:No data available |
| Flash point: 54 °C Method: TCCEvaporation rate: No data availableUpper explosion limit: No data available |
| Method: TCCEvaporation rate: No data availableUpper explosion limit: No data available |
| Upper explosion limit : No data available |
| |
| |
| Lower explosion limit : No data available |
| Vapour pressure : No data available |
| Relative vapour density : No data available |
| Density : 0.844 g/cm3 |
| Solubility(ies) |
| Water solubility : emulsifiable |
| Solubility in other solvents : not determined |
| Auto-ignition temperature : not determined |
| Thermal decomposition : No data available |
| Viscosity |
| Viscosity, kinematic : > 40 mm2/s (40 °C) |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|---------------------------------------|---|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| Conditions to avoid | : Heat, flames and sparks. |

| Version 2.1 | Revision Date 10/01/2023 | Print Date 08/06/2024 |
|----------------------------------|-----------------------------------|-----------------------|
| | | |
| | | |
| Incompatible materials | : Oxidizing agents | |
| Hazardous decomposition products | : No hazardous decomposition prod | lucts are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

| Potential Health Effects Aggravated Medical Condition | : None known. |
|---|--|
| Symptoms of Overexposure | Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed. |
| Carcinogenicity: | |
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| Acute toxicity | |
| Product: | |
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : 4,797 mg/kg Method: Calculation method |
| Components: | |
| Distillates (petroleum), hydr Acute oral toxicity | otreated light: : LD50 Rat: > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 Rat: > 4.6 mg/l Exposure time: 6 h |

| Version 2.1 | Revision Date 10/01/2023 | Print Date 08/06/2024 |
|--|---------------------------------------|-----------------------|
| | | |
| Acute dermal toxicity | : LD50 Rat: > 2,000 mg/kg | |
| d-limonene: Acute oral toxicity | : LD50 Oral Rat: 4,400 mg/kg | |
| Acute dermal toxicity | : LD50 Dermal Rabbit: > 5,000 mg/kg | |
| Alcohols, C9-11, ethoxyla Acute oral toxicity | ated: : LD50 Oral Rat: 1,400 mg/kg | |
| Skin corrosion/irritation | | |
| Product: | | |
| Remarks: Irritating to skin. | | |
| Serious eye damage/eye irrit | ation | |
| Product: | | |
| Remarks: May cause irreve | ersible eye damage. | |
| Respiratory or skin sensitisat | ion | |
| Product: | | |
| Remarks: Causes sensitis | ation. | |
| Components: | | |
| d-limonene: Classification: May cause | sensitisation by skin contact. | |
| Germ cell mutagenicity | | |
| No data available | | |
| Carcinogenicity | | |
| No data available | | |
| Reproductive toxicity | | |
| No data available | | |
| STOT - single exposure | | |
| No data available | | |
| STOT - repeated exposure | | |
| No data available | | |
| Aspiration toxicity | | |
| No data available | | |
| Further information | | |
| Product: | | |

Version 2.1

Revision Date 10/01/2023 Print Date 08/06/2024

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

| No data available | |
|--|--|
| Persistence and degradability | |
| No data available Bioaccumulative potential | |
| Components: d-limonene : Partition coefficient: n- octanol/water propylene carbonate : Partition coefficient: n- octanol/water | : log Pow: 4.232 : Pow: 0.41 |
| Mobility in soil | |
| No data available | |
| Other adverse effects | |
| No data available <u>Product:</u> | |
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life. |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Version 2.1

Revision Date 10/01/2023

Print Date 08/06/2024

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (D-LIMONENE), 3, III

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (D-LIMONENE), 3, III

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (D-LIMONENE), 3, III

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the
Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

| Version 2.1 | Revision Date 10/01/2023 | Print Date 08/06/2024 |
|-----------------------------------|---|--------------------------|
| Hazard pictograms | : Flame Corrosion Exclamation | |
| Signal w ord Hazard statements | mark : Danger: : Flammable liquid and vapour. Causes skin irritation. Ma reaction. Causes serious eye damage. | y cause an allergic skin |
| Precautionary statements | Prevention: Causes serious eye damage. Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing dust/ fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ protective clothing/ eye protection/face protection. Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and w ashit before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foamto extinguish. Stor age: Store in a w ell-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation. | |

| Version: | 2.1 |
|----------------|------------|
| Revision Date: | 10/01/2023 |
| Print Date: | 08/06/2024 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.