Version 2.1

Revision Date 10/01/2023

Print Date 08/06/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP REACH HAND CLEANER_1GL_4CT
Material number	:	0000000000092524

Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded.

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appeorance	aal
Appearance	gel
Colour	green
Odour	characteristic
GHS Classification	
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	: Exclamation mark
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.
Precautionary statements	: Prevention:

Version 2.1

Revision Date 10/01/2023

Print Date 08/06/2024

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:**P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention. **Disposal:**P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 60
Alcohols, C12-16, ethoxylated	68551-12-2	>= 5 - < 10
quartz (SiO2)	14808-60-7	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	ove out of dangerous area. how this safety data sheet to the doctor is o not leave the victim unattended.	n attendance.
If inhaled	unconscious, place in recovery position a dvice. symptoms persist, call a physician.	and seek medical
In case of skin contact	his product is formulated for use on skin e immediately washed off with plenty of w se if irritation and redness develop. If con ore than 72 hours, consult a physician.	ater. Discontinue
In case of eye contact	emove contact lenses. rotect unharmed eye. eep eye wide open while rinsing. eye irritation persists, consult a specialis in eyes, rinse with water for 15 minutes.	t.
If swallowed	eep respiratory tract clear. ever give anything by mouth to an uncon symptoms persist, call a physician. O NOT induce vomiting unless directed t nysician or poison control center. ake victim immediately to hospital.	
Most important symptoms	ffects are immediate and delayed.	

Version 2.1	Revision Date 10/01/2023	Print Date 08/06/2024
and effects, both acute and delayed	Symptoms may include irritation, re Causes serious eye irritation. Review section 2 of SDS to see all	· • ·
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Material can create slippery conditions. Refer to protective measures listed in sections 7 and 8. Use non-slip safety shoes in areas where spills or leaks can occur.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Avoid contact with eyes. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national
-------------------------	--

Version 2.1	Revision Date 10/01/2023	Print Date 08/06/2024
	regulations.	
Conditions for safe storage	: Keep container tightly closed in a place. Electrical installations / working m the technological safety standards	aterials must comply with
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters	
--	--

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m3 (As total hydrocarbon vapour)	CA BC OEL
		TWA	200 mg/m3 (total hydrocarbon vapor)	CA AB OEL
quartz (SiO2)	14808-60-7	TWA (Respirable particulates)	0.025 mg/m3	CA AB OEL
		TWA (Respirable fraction)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.	
Hand protection Remarks	:	No special protection is required.	
Eye protection	:	Eye protection is not required while washing with this product. In the workplace, the use of safety glasses is recommended to avoid eye exposure during the handling of containers or during spill clean-up.	
Skin and body protection	:	No special protection is required.	
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

Version 2.1

Revision Date 10/01/2023 Print Date 08/06/2024

SECTION 9. PHYSICAL	. AND C	HEMICAL	PROPERTIES
----------------------------	---------	---------	------------

Appearance	:	gel
Colour	:	green
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	7.5 - 8.5
Melting point/freezing point	:	No data available
Boiling point	:	not determined
Flash point	:	> 93.4 °C
		Ne dete evelleble
Evaporation rate	•	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.95 g/cm3
Solubility(ies)		
Water solubility	:	emulsifiable
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	Not applicable
Viscosity		
Viscosity, kinematic	:	> 25 mm2/s (40 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents

Revision Date 10/01/2023 Print Date 08/06/2024

products

Hazardous decomposition : Heating can release vapours which can be ignited.

Version 2.1

SECTION 11. TOXICOLOGICAL INFORMATION

	Potential Health Effects		
	Aggravated Medical Condition	: None known.	
	Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, an Causes serious eye irritation. Review section 2 of SDS to see all potential hazard Treat symptomatically. Symptoms may be delayed 	ls.
	Carcinogenicity:		
	IARC	Group 1: Carcinogenic to humans	
		quartz (SiO2)	14808-60-7
	ACGIH	No component of this product present at levels greate equal to 0.1% is identified as a carcinogen or potentia carcinogen by ACGIH.	
Acut	e toxicity		
	Product:		
	Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
	Components:		
	Distillates (petroleum), hydro Acute oral toxicity	otreated light: : LD50 Rat: > 5,000 mg/kg	
		- ED50 Rat. > 0,000 mg/kg	
	Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
	Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
Skin	corrosion/irritation		
	Product:		
	Result: No skin irritation		
Seri	ous eye damage/eye irritatio	n	
	Product:		

Remarks: Severe eye irritation

Version 2.1

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Additional ecological information	: No data available

Version 2.1

Revision Date 10/01/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

Version 2.1

Revision Date 10/01/2023

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

Exclamation mark

Warning:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Hazard pictograms

Signal w ord Hazard statements Precautionary statements

Causes serious eye irritation. **Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.1
Revision Date:	10/01/2023
Print Date:	08/06/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.