Version 1.3	Revision Date 10/01/2023	Print Date 08/06/2024
SECTION 1. PRODUCT AN	D COMPANY IDENTIFICATION	

Material name	:	ZEP RING MASTER ALL PURPOSE BATHROOM CLEANER
Material number	:	0000000000184611
Manufacturer or supplier's o	deta	nils
Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers				
For SDS Information	:	Compliance Services - 877-428-9937		
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded		
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.		
Emergency				

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	green
Odour	characteristic
GHS Classification	
Skin corrosion	: Category 1
Serious eye damage	: Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.

Version 1.3	Revision Date 10/01/2023	Print Date 08/06/2024
Precautionary statements	 Prevention: P264 Wash skin thoroughly after H P280 Wear protective gloves/ prot protection/ face protection. Response: P301 + P330 + P331 IF SWALLO induce vomiting. P303 + P361 + P353 IF ON SKIN immediately all contaminated cloth P304 + P340 + P310 IF INHALED and keep comfortable for breathing POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN water for several minutes. Remove and easy to do. Continue rinsing. CENTER/doctor. P363 Wash contaminated clothing Disposal: P501 Dispose of contents/contain regulation. 	WED: Rinse mouth. Do NOT (or hair): Take off hing. Rinse skin with water. : Remove person to fresh air g. Immediately call a N EYES: Rinse cautiously with e contact lenses, if present Immediately call a POISON g before reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
orthophosphoric acid	7664-38-2	>= 10 - < 30
urea hydrochloride	506-89-8	>= 10 - < 30
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 5 - < 10
Alcohols, C9-11, ethoxylated	68439-46-3	>= 5 - < 10
hydrochloric acid	7647-01-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

Version 1.3	Revision Date 10/01/2023	Print Date 08/06/2024
	lf skin irritation persists, call a pl	nysician.
In case of eye contact	 Small amounts splashed into ey tissue damage and blindness. Rinse immediately with plenty of Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsir If eye irritation persists, consult 	f water for at least 15 minutes. ng.
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless physician or poison control cent Do not give milk or alcoholic bey Never give anything by mouth to If symptoms persist, call a physi Take victim immediately to hosp	er. Ærages. o an unconscious person. cian.
Most important symptoms and effects, both acute and delayed	: Effects are dependent on expos contact time). Effects are immediate and delay Symptoms may include blisterin Causes severe skin burns and e	red. g, irritation, burns, and pain.
Notes to physician	: Treat symptomatically. Sympton	ms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Phosphorus compounds Chlorine compounds Sulphur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 1.3

Revision Date 10/01/2023

Print Date 08/06/2024

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from bases and alkalies. Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
orthophosphoric acid	7664-38-2	TWA	1 mg/m3	CA AB OEL
		STEL	3 mg/m3	CA AB OEL
		TWA	1 mg/m3	CA BC OEL
		STEL	3 mg/m3	CA BC OEL
		TWAEV	1 mg/m3	CA QC OEL
		STEV	3 mg/m3	CA QC OEL
		TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
hydrochloric acid	7647-01-0	(C)	2 ppm	CA AB OEL
			3 mg/m3	
		С	2 ppm	CA BC OEL

sion 1.3		Revision Date 10/01/2023	Print Date 08/0	06/2024
		C	5 ppm CA 7.5 mg/m3	QC OEL
		С		GIH
Engineering measures	:	effective ventilation in all p	effective ventilation in all processing areas	
Personal protective equip	ment			
Respiratory protection	:	ventilation is provided or e	unless adequate local exhaus exposure assessment demons recommended exposure guide	trates
Hand protection Material	:	Protective gloves		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.		
Eye protection	:	Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.		
Skin and body protection	:	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
Hygiene measures	:	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: green
Odour	: characteristic
Odour Threshold	: No data available
рН	: <1
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	:
	No data available
Evaporation rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.2 g/cm3

Version 1.3	Revision Date 10/01/2023	Print Date 08/06/2024
Bulk density Solubility(ies)	: No data available	
Water solubility	: soluble in cold water, soluble in hot	water
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents Bases
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Causes severe skin burns and eye damage. Treat symptomatically. Symptoms may be delayed.

Carcinogenicity:

SAFETY DATA SHEET

Version 1.3	Revision Date 10/01/2023	Print Date 08/06/2024
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	5
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 3,693 mg/ Method: Calculation method	/kg
Components:		
Alcohols, C9-11, ethoxy Acute oral toxicity		
Skin corrosion/irritation		
Product:		
Remarks: Extremely corr	osive and destructive to tissue.	
Serious eye damage/eye irr	itation	
Product:		
Remarks: May cause irre	versible eye damage.	
Respiratory or skin sensitisa	ition	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

Version 1.3

Revision Date 10/01/2023

Print Date 08/06/2024

NU Udla available	No	data	available
-------------------	----	------	-----------

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):

Version 1.3

Revision Date 10/01/2023

Print Date 08/06/2024

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Version 1.3	Revision Date 10/01/2023	Print Date 08/06/2024
Hazard pictograms		
Signal w ord Hazard statements Precautionary statements	Corrosion : Danger: : Causes severe skin burns and eye damage. :	
·	Prevention: Wash skin thoroughly after handling. Wea clothing/ eye protection/face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT ir hair): Take off immediately all contaminated clothing. R INHALED: Remove person to fresh air and keep comfor call a POISON CENTER/doctor. IF IN EYES: Rinse ca minutes. Remove contact lenses, if present and easy to Immediately call a POISON CENTER/doctor. Wash co reuse.	nduce vomiting. IF ON SKIN (or tinse skin w ith w ater. IF ortable for breathing. Immediately utiously w ith w ater for several o do. Continue rinsing.
	Disposal: Dispose of contents/container in accordanc	e with local regulation.

Version:	1.3
Revision Date:	10/01/2023
Print Date:	08/06/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.